

References / Quellenverzeichnis / Bibliografie

A

Abrego, N., Bässler, C., Christensen, M., Heilmann-Clausen, J. (2015) Implications of reserve size and forest connectivity for the conservation of wood-inhabiting fungi in Europe. *Biological Conservation* 191, 469–477.

Abrego, N., Norberg, A., Ovaskainen, O. (2017) Measuring and predicting the influence of traits on the assembly processes of wood-inhabiting fungi. *Journal of Ecology* 105, 1070–1081.

Adamczyk, B., Sietiö, O., Straková, P., Prommer, J., et al. (2019) Plant roots increase both decomposition and stable organic matter formation in boreal forest soil. *Nature Communications* 10, 3982.

Albrich, K., Rammer, W., Seidl, R. (2020) Climate change causes critical transitions and irreversible alterations of mountain forests. *Global Change Biology* 26, 4013–4027.

Ampoorter, E., Barbaro, L., Jactel, H., Baeten, L., et al. (2020) Tree diversity is key for promoting the diversity and abundance of forest-associated taxa in Europe. *Oikos* 129, 133–146.

Andrieu, E., Cabanettes, A., Alignier, A., van Halder, I., et al. (2018) Edge contrast does not modulate edge effect on plants and pollinators. *Basic and Applied Ecology* 27, 83–95.

Aszalós, R., Szigeti, V., Harnos, K., Csernák, S., et al. (2020) Foraging Activity of Woodpeckers on Various forms of Artificially Created Deadwood. *Acta Ornithologica* 55, 63-76.

B

Bartonička, T., Bielik, A., Řehák, Z., (2008) Roost Switching and Activity Patterns in the Soprano Pipistrelle, *Pipistrellus pygmaeus*, during Lactation. *Annales Zoologici Fennici* 45, 503–512.

Bässler, C., Müller, J., Dziöck, F., Brandl, R. (2010) Effects of resource availability and climate on the diversity of wood-decaying fungi. *Journal of Ecology* 98, 822–832.

Bengtsson, J., Nilsson, S.G., Franc, A., Menozzi, P. (2000) Biodiversity, disturbances, ecosystem function and management of European forests. *Forest Ecology and Management* 132, 39–50.

Bereczki, K., Ódor, P., Csóka, G., Mag, Z., et al. (2014) Effects of forest heterogeneity on the efficiency of caterpillar control service provided by birds in temperate oak forests. *Forest Ecology and Management* 327, 96–105.

Berglund, H., Jonsson, B.G. (2001) Predictability of plant and fungal species richness of old-growth boreal forest islands. *Journal of Vegetation Science* 12, 857–866.

Bertolini, V., Damon, A., Mora, J.V., Rojas Velázquez, A.N. (2012) Distribution and ecological patterns of orchids in Monte Pellegrino Reserve, Palermo (Sicily, Italy). *Biodiversity Journal* 3, 375-384.

Beutel, T., Reineking, B., Tiesmeyer, A., Nowak, C., et al. (2017) Spatial patterns of co-occurrence of the European wildcat *Felis silvestris silvestris* and domestic cats *Felis silvestris catus* in the Bavarian Forest National Park. *Wildlife Biology* 2017.

Blaser, S., Prati, D., Senn-Irlet, B., Fischer, M. (2013) Effects of forest management on the diversity of deadwood-inhabiting fungi in Central European forests. *Forest Ecology and Management* 304, 42–48.

Blixt, T., Bergman, K., Milberg, P., Westerberg, L., et al. (2015) Clear-cuts in production forests: From matrix to neo-habitat for butterflies. *Acta Oecologica* 69, 71–77.

Boeraeve, M., Honnay, O., Jacquemyn, H. (2019) Local abiotic conditions are more important than landscape context for structuring arbuscular mycorrhizal fungal communities in the roots of a forest herb. *Oecologia* 190, 149–157.

Brunk, I., Sobczyk, T., Roth, M. (2019) Pest control in German forests: General patterns of biodiversity and possible impacts of Btk, diflubenzuron and lambda-Cyhalothrin on non-target arthropods, birds and bats – a literature review. *Journal of Forest and Landscape Research* 4, 1–26.

Buckley, P. (2020) Coppice restoration and conservation: a European perspective. *Journal of Forest Research* 25, 125–133.

Bundeswaldinventur (BWI) (2012) Waldfläche (gemäß Standflächenanteil) [ha] nach Land und Baumartengruppe (rechnerischer Reinbestand). Available online: [https://bwi.info/inhalt1.3.aspx?Text=1.04%20Baumartengruppe%20\(rechnerischer%20Reinbestand\)&prrolle=public&prInv=BWI2012&prKapitel=1.04&mpXicode=](https://bwi.info/inhalt1.3.aspx?Text=1.04%20Baumartengruppe%20(rechnerischer%20Reinbestand)&prrolle=public&prInv=BWI2012&prKapitel=1.04&mpXicode=)

Buse, J., Entling, M.H., Ranius, T., Assmann, T. (2016) Response of saproxylic beetles to small-scale habitat connectivity depends on trophic levels. *Landscape Ecology* 31, 939–949.

Butler, L., Kondo, V., Blue, D. (1997) Effects of Tebufenozide (Rh-5992) for Gypsy Moth (Lepidoptera: Lymantriidae) Suppression on Nontarget Canopy Arthropods. *Environmental Entomology* 26, 1009–1015.

C

Chelli, S., Bricca, A., Cutini, M., Competella, G., et al. (2021) Large standard trees and deadwood promote functional divergence in the understory of beech coppice forests. *Forest Ecology and Management* 494, 119324.

Chmura, D. (2013) Impact of alien tree species *Quercus rubra* L. on the understory environment and flora: A study of the Silesian upland (Southern Poland). *Polish Journal of Ecology* 61, 431–442.

Chudomelová, M., Hédli, R., Zouhar, V., Szabó, P. (2017) Open oakwoods facing modern threats: Will they survive the next fifty years? *Biological Conservation* 210, 163–173.

Crockatt, M.E. (2012) Are there edge effects on forest fungi and if so do they matter? *Fungal Biology Reviews* 26, 94–101.

D

Damestoy, T., Jactel, H., Belouard, T., Schmuck, H., et al. (2020) Tree species identity and forest composition affect the number of oak processionary moth captured in pheromone traps and the intensity of larval defoliation. *Agricultural and Forest Entomology* 22, 169–177.

Dieler, J., Uhl, E., Biber, P., Müller, J., et al. (2017) Effect of forest stand management on species composition, structural diversity, and productivity in the temperate zone of Europe. *European Journal of Forest Research* 136, 739–766.

Dietz, M., Brombacher, M., Erasmy, M., Fenchuk, V., et al. (2018) Bat Community and Roost Site Selection of Tree-Dwelling Bats in a Well-Preserved European Lowland Forest. *Acta Chiropterologica* 20, 117–127.

Dittrich, S., Jacob, M., Bade, C., Leuschner, C., et al. (2014) The significance of deadwood for total bryophyte, lichen, and vascular plant diversity in an old-growth spruce forest. *Plant Ecology* 215, 1123–1137.

Dobor, L., Hlásny, T., Rammer, W., Zimová, S., et al. (2020) Is salvage logging effectively dampening bark beetle outbreaks and preserving forest carbon stocks? *Journal of Applied Ecology* 57, 67–76.

Doerfler, I., Cadotte, M.W., Weisser, W.W., Müller, J., et al. (2020) Restoration-oriented forest management affects community assembly patterns of deadwood-dependent organisms. *Journal of Applied Ecology* 57, 2429–2440.

Dölle, M., Petritan, A.M., Biris, I.A., Petritan, I.C. (2017) Relations between tree canopy composition and understory vegetation in a European beech-sessile oak old growth forest in Western Romania. *Biologia* 72, 1422–1430.

Domínguez, G., Shannon, M. (2011) A wish, a fear and a complaint: understanding the (dis)engagement of forest owners in forest management. *European Journal of Forest Research* 130, 435–450.

Duncker, P.S., Barreiro, S.M., Hengeveld, G.M., Lind, T., et al. (2012) Classification of Forest Management Approaches: A New Conceptual Framework and Its Applicability to European Forestry. *Ecology & Society* 17, 51.

E

Eckelt, A., Müller, J., Bense, U., Brustel, H., et al. (2018) “Primeval forest relict beetles” of Central Europe: a set of 168 umbrella species for the protection of primeval forest remnants. *Journal of Insect Conservation* 22, 15–28.

Eckert, T., Braunisch, V., Gesine, P., Klein, A. (2021) The effect of forest management on cavity nesting bees, wasps and their natural enemies in the Black Forest. GfÖ Conference. Braunschweig, 30.08.2021.

Egan, J.F., Bohnenblust, E., Goslee, S., Mortensen, D., et al. (2014) Herbicide drift can affect plant and arthropod communities. *Agriculture, Ecosystems & Environment* 185, 77–87.

European Commission (1992) Council directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora. Available online: <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:31992L0043&from=EN>

European Commission (2021a) New EU Forest Strategy for 2030. Communication from the commission to the european parliament, the council, the european economic and social committee and the committee of the regions empty. Brussels. Available online: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:52021DC0572>

European Commission (2021b) The habitats directive. Available online: https://ec.europa.eu/environment/nature/legislation/habitatsdirective/index_en.htm

F

Fahrig, L. (2003) Effects of Habitat Fragmentation on Biodiversity. *Annual Review of Ecology, Evolution and Systematics* 34, 487–515.

Fahrig, L. (2013) Rethinking patch size and isolation effects: the habitat amount hypothesis. *Journal of Biogeography* 40, 1649–1663.

Fajvan, M.A., Gottschalk, K.W. (2012) The Effects of Silvicultural Thinning and *Lymantria Dispar* L. Defoliation on Wood Volume Growth of *Quercus* spp. *American Journal of Plant Sciences* 3, 276–282.

Fan, C., Tan, L., Zhang, C., Zhao, X., et al. (2020) Scale-dependent effects of neighborhood biodiversity on individual tree productivity in a coniferous and broad-leaved mixed forest in China. *Ecology and Evolution* 10, 8225–8234.

Felipe-Lucia, M.R., Soliveres, S., Penone, C., Manning, P., et al. (2018) Multiple forest attributes underpin the supply of multiple ecosystem services. *Nature Communications* 9, 4839.

Felton, A., Lindbladh, M., Brunet, J., Fritz, Ö. (2010) Replacing coniferous monocultures with mixed-species production stands: An assessment of the potential benefits for forest biodiversity in northern Europe. *Forest Ecology and Management* 260, 939–947.

FOREST EUROPE (2020) State of Europe's forests 2020. Available online: https://foresteurope.org/wp-content/uploads/2016/08/SoEF_2020.pdf

Fornoff, F., Klein, A., Blüthgen, N., Staab, M. (2019) Tree diversity increases robustness of multi-trophic interactions. *Proceedings. Biological sciences* 286, 20182399.

Freese, A., Benes, J., Bolz, R., Cizek, O., et al. (2006) Habitat use of the endangered butterfly *Euphydryas maturna* and forestry in Central Europe. *Animal Conservation* 9, 388–397.

Fuller, R.J., Green, T. (2020) Breeding bird communities within a parkland-woodland continuum: the distinctiveness of wood-pasture. *Arboricultural Journal* 42, 190–207.

G

Gong, C., Tan, Q., Liu, G., Xu, M. (2021) Impacts of tree mixtures on understory plant diversity in China. *Forest Ecology and Management* 498, 119545.

Gossner, M.M., Wende, B., Levick, S., Schall, P., et al. (2016) Deadwood enrichment in European forests – Which tree species should be used to promote saproxylic beetle diversity? *Biological Conservation* 201, 92–102.

Gould, J.R., Elkinton, J.S., Wallner, W.E. (1990) Density-Dependent Suppression of Experimentally Created Gypsy Moth, *Lymantria dispar* (Lepidoptera: Lymantriidae), Populations by Natural Enemies. *Journal of Animal Ecology* 59, 213–233.

Gschwantner, T., Hoch, G., Schopf, A. (2002) Impact of predators on artificially augmented populations of *Lymantria dispar* L. pupae (Lep., Lymantriidae). *Journal of Applied Entomology* 126, 66–73.

Gutzat, F., Dormann, C.F. (2018) Decaying trees improve nesting opportunities for cavity-nesting birds in temperate and boreal forests: A meta-analysis and implications for retention forestry. *Ecology and Evolution* 8, 8616–8626.

H

Hartmann, S.A., Steyer, K., Kraus, R.H.S., Segelbacher, G., et al. (2013) Potential barriers to gene flow in the endangered European wildcat (*Felis silvestris*). *Conservation Genetics* 14, 413–426.

Heurich, M., Beudert, B., Rall, H., Křenová, Z. (2010) National Parks as Model Regions for Interdisciplinary Long-Term Ecological Research: The Bavarian Forest and Šumavá National Parks Underway to Transboundary Ecosystem Research. In: Müller, F., Baessler, C., Schubert, H., and Klotz, S.: Long-Term Ecological Research. Dordrecht: Springer Netherlands, 327–344.

Hilmers, T., Friess, N., Bäessler, C., Heurich, M., et al. (2018) Biodiversity along temperate forest succession. *Journal of Applied Ecology* 55, 2756–2766.

Hlásny, T., König, L., Krokene, P., Lindner, M., et al. (2021) Bark Beetle Outbreaks in Europe: State of Knowledge and Ways Forward for Management. *Current Forestry Reports* 7, 138-165.

Hofmeister, J., Hošek, J., Brabec, M., Kočvara, R. (2017) Spatial distribution of bird communities in small forest fragments in central Europe in relation to distance to the forest edge, fragment size and type of forest. *Forest Ecology and Management* 401, 255–263.

Honnay, O., Bossuyt, B., Verheyen, K., Butaye, J., et al. (2002) Ecological perspectives for the restoration of plant communities in European temperate forests. *Biodiversity & Conservation* 11, 213–242.

Honnay, O., Hermy, M., Coppin, P. (1999) Effects of area, age and diversity of forest patches in Belgium on plant species richness, and implications for conservation and reforestation. *Biological Conservation* 87, 73–84.

Horák, J., Pavlíček, J., Kout, J., Halda, J.P. (2018) Winners and losers in the wilderness: response of biodiversity to the abandonment of ancient forest pastures. *Biodiversity & Conservation* 27, 3019–3029.

Hughes, J.S., Cobbold, C.A., Haynes, K., Dwyer, G. (2015) Effects of forest spatial structure on insect outbreaks: insights from a host-parasitoid model. *The American naturalist* 185, E130-52.

Humphrey, J.W., Watts, K. (2004) Biodiversity Indicators for UK Managed Forests: Development and Implementation at different spatial scales. *EFI Proceedings* 51.

I
Iojă, C.I., Pătroescu, M., Rozyłowicz, L., Popescu, V.D., et al. (2010) The efficacy of Romania's protected areas network in conserving biodiversity. *Biological Conservation* 143, 2468–2476.

J

Jactel, H., Gritti, E.S., Drössler, L., Forrester, D.I., et al. (2018) Positive biodiversity-productivity relationships in forests: climate matters. *Biology Letters* 14.

Jactel, H., Bauhus, J., Boberg, J., Bonal, D., et al. (2017) Tree Diversity Drives Forest Stand Resistance to Natural Disturbances. *Current Forestry Reports* 3, 223–243.

Jerosch, S., Götz, M., Klar, N., Roth, M. (2010) Characteristics of diurnal resting sites of the endangered European wildcat (*Felis silvestris silvestris*): Implications for its conservation. *Journal for Nature Conservation* 18, 45–54.

Jokela, J., Siitonen, J., Koivula, M. (2019) Short-term effects of selection, gap, patch and clear cutting on the beetle fauna in boreal spruce-dominated forests. *Forest Ecology and Management* 446, 29–37.

Jonsell, M., Nordlander, G. (2002) Insects in polypore fungi as indicator species: a comparison between forest sites differing in amounts and continuity of dead wood. *Forest Ecology and Management* 157, 101–118.

K

Keča, L.J., Marčeta, M., Božič, G., Perić, S., et al. (2019) Non-native tree species: strategies for sustainable management in Europe. *International forestry review* 21, 295–314.

Komonen, A., Müller, J. (2018) Dispersal ecology of deadwood organisms and connectivity conservation. *Conservation Biology* 32, 535–545.

Korpela, Ee., Hyvönen, T., Kuussaari, M. (2015) Logging in boreal field-forest ecotones promotes flower-visiting insect diversity and modifies insect community composition. *Insect Conservation and Diversity* 8, 152–162.

Krah, F., Seibold, S., Brandl, R., Baldrian, P., et al. (2018) Independent effects of host and environment on the diversity of wood-inhabiting fungi. *Journal of Ecology* 106, 1428–1442.

Kramer-Schad, S., Revilla, E., Wiegand, T., Breitenmoser, U. (2004) Fragmented landscapes, road mortality and patch connectivity: modelling influences on the dispersal of Eurasian lynx. *Journal of Applied Ecology* 41, 711–723.

Kraus, D., Krumm, F. (2013) Integrative Ansätze als Chance für die Erhaltung der Artenvielfalt in Wäldern. Available online: http://informar.eu/sites/default/files/pdf/In_Focus_ManagingForest_Europe_D.pdf

Kriegel, P., Matevski, D., Schuldt, A. (2021) Monoculture and mixture-planting of non-native Douglas fir alters species composition, but promotes the diversity of ground beetles in a temperate forest system. *Biodiversity and Conservation* 30, 1479–1499.

L

Lachat, T., Bouget, C., Bütler, R., Müller, J. (2013) Deadwood: quantitative and qualitative requirements for the conservation of saproxylic biodiversity. *Integrative approaches as an opportunity for the conservation of forest biodiversity*, 92–102.

Lanta, V., Mudrák, O., Liancourt, P., Bartoš, M., et al. (2019) Active management promotes plant diversity in lowland forests: A landscape-scale experiment with two types of clearings. *Forest Ecology and Management* 448, 94–103.

Lee, Y., Lee, S., Son, J., Kim, Y., et al. (2018) Toxicity effects and biomarkers of tebufenozide exposure in *Yuukianura szeptyckii* (Collembola: Neanuridae). *Environmental Geochemistry and Health* 40, 2773–2784.

Leroy, B.M.L., Lemme, H., Braumiller, P., Hilmers, T., et al. (2021) Relative impacts of gypsy moth outbreaks and insecticide treatments on forest resources and ecosystems: An experimental approach. *Ecological Solutions and Evidence* 2. e12045

Liang, J., Crowther, T.W., Picard, N., Wiser, S., et al. (2016) Positive biodiversity-productivity relationship predominant in global forests. *Science* 354.

Liklunga, E., Rivera Pérez, C.A., Schneider, D., Daniel, R., et al. (2021) Forest tree species composition and abiotic site conditions drive soil fungal communities and functional groups. Online Preprint.

Lõhmus, A. (2011) Silviculture as a disturbance regime: the effects of clear-cutting, planting and thinning on polypore communities in mixed forests. *Journal of Forest Research* 16, 194–202.

M

Macek, M., Kopecký, M., Wild, J. (2019) Maximum air temperature controlled by landscape topography affects plant species composition in temperate forests. *Landscape Ecology* 34, 2541–2556.

MacLean, D.A., Clark, K.L. (2021) Mixedwood management positively affects forest health during insect infestations in eastern North America. *Canadian Journal of Forest Research* 51, 910–920.

Maguire, D.Y., James, P.M.A., Buddle, C.M., Bennett, E.M. (2015) Landscape connectivity and insect herbivory: A framework for understanding tradeoffs among ecosystem services. *Global Ecology and Conservation* 4, 73–84.

Magura, T., Lövei, G.L., Tóthmérész, B. (2017) Edge responses are different in edges under natural versus anthropogenic influence: a meta-analysis using ground beetles. *Ecology and Evolution* 7, 1009–1017.

Magurran, A.E. (1988) *Ecological diversity and its measurement*. Princeton, NJ: Princeton University Press. Available online: <http://www.loc.gov/catdir/description/prin021/88010927.html>

Márialigeti, S., Tinya, F., Bidló, A., Ódor, P. (2016) Environmental drivers of the composition and diversity of the herb layer in mixed temperate forests in Hungary. *Plant Ecology* 217, 549–563.

Mauchamp, L., Mouly, A., Badot, P., Gillet, F. (2016) Impact of nitrogen inputs on multiple facets of plant biodiversity in mountain grasslands: does nutrient source matter? *Applied Vegetation Science* 19, 206–217.

Mazzei, A., Bonacci, T., Horák, J., Brandmayr, P. (2018) The role of topography, stand and habitat features for management and biodiversity of a prominent forest hotspot of the Mediterranean Basin: Saproxyllic beetles as possible indicators. *Forest Ecology and Management* 410, 66–75.

MCPFE Expert Level Meeting (2002) MCPFE Assessment guidelines for protected and protective forest and other wooded land in Europe. Vienna, Austria. Available online: <https://unece.org/fileadmin/DAM/timber/publications/2002-guidelines-protected-forest.pdf>

Mehr, M., Brandl, R., Hothorn, T., Dziock, F., et al. (2011) Land use is more important than climate for species richness and composition of bat assemblages on a regional scale. *Mammalian Biology* 76, 451–460.

Melillo, J.M., Butler, S., Johnson, J., Mohan, J., et al. (2011) Soil warming, carbon-nitrogen interactions, and forest carbon budgets. *Proceedings of the National Academy of Sciences* 108, 9508–9512.

Merckx, T., Dantas de Miranda, M., Pereira, H.M. (2019) Habitat amount, not patch size and isolation, drives species richness of macro-moth communities in countryside landscapes. *Journal of Biogeography*. 46, 956–967.

Michaux, J. R., Hürner, H., Krystufek, B., Sarà, M., et al. (2019) Genetic structure of a European forest species, the edible dormouse (*Glis glis*): a consequence of past anthropogenic forest fragmentation? *Biological Journal of the Linnean Society* 126, 836–851.

Miklín, J., Čížek, L. (2014) Erasing a European biodiversity hot-spot: Open woodlands, veteran trees and mature forests succumb to forestry intensification, succession, and logging in a UNESCO Biosphere Reserve. *Journal for Nature Conservation* 22, 35–41.

Miklín, J., Sebek, P., Hauck, D., Konvicka, O., et al. (2018) Past levels of canopy closure affect the occurrence of veteran trees and flagship saproxyllic beetles. *Diversity and Distributions* 24, 208–218.

Montecchiari, S., Tesei, G., Allegranza, M. (2020) *Ailanthus altissima* Forests Determine a Shift in Herbaceous Layer Richness: A Paired Comparison with Hardwood Native Forests in Sub-Mediterranean Europe. *Plants* 9, 1404.

Mortelliti, A., Amori, G., Capizzi, D., Cervone, C., et al. (2011) Independent effects of habitat loss, habitat fragmentation and structural connectivity on the distribution of two arboreal rodents. *Journal of Applied Ecology* 48, 153–162.

Müller, J., Brandl, R., Brändle, M., Förster, B., et al. (2018) LiDAR-derived canopy structure supports the more-individuals hypothesis for arthropod diversity in temperate forests. *Oikos* 127, 814–824.

Müller, J., Bußler, H., Goßner, M., Rettelbach, T., et al. (2008) The European spruce bark beetle *Ips typographus* in a national park: from pest to keystone species. *Biodiversity and Conservation* 17, 2979–3001.

Müller, J., Bußler, H., Goßner, M., Gruppe, A., et al. (2007) Forest edges in the mixed-montane zone of the Bavarian Forest National Park - hot spots of biodiversity. *Silva Gabreta* 13, 121–148.

Müller, J., Noss, R.F., Bussler, H., Brandl, R. (2010) Learning from a “benign neglect strategy” in a national park: Response of saproxyllic beetles to dead wood accumulation. *Biological Conservation* 143, 2559–2569.

Müller, S., Shaw, T., Güntert, D., Helmbold, L., et al. (2020) Ecoacoustics of small forest patches in agricultural landscapes: acoustic diversity and bird richness increase with patch size. *Biodiversity* 21, 48–60.

Murray, B.D., Holland, J.D., Summerville, K.S., Dunning, J.B., et al. (2017) Functional diversity response to hardwood forest management varies across taxa and spatial scales. *Ecological Applications* 27, 1064–1081.

N

Nagati, M., Roy, M., Manzi, S., Richard, F., et al. (2018) Impact of local forest composition on soil fungal communities in a mixed boreal forest. *Plant Soil* 432, 345–357.

Naumov, V., Manton, M., Elbakidze, M., Rendenieks, Z., et al. (2018) How to reconcile wood production and biodiversity conservation? The Pan-European boreal forest history gradient as an “experiment”. *Journal of environmental management* 218, 1–13.

Nieto-Sánchez, S., Gutiérrez, D., Wilson, R.J. (2015) Long-term change and spatial variation in butterfly communities over an elevational gradient: driven by climate, buffered by habitat. *Diversity and Distributions* 21, 950–961.

Nolet, P., Kneeshaw, D., Messier, C., Béland, M. (2018) Comparing the effects of even- and uneven-aged silviculture on ecological diversity and processes: A review. *Ecology and Evolution* 8, 1217–1226.

Nordén, J., Åström, J., Josefsson, T., Blumentrath, S., et al. (2018) At which spatial and temporal scales can fungi indicate habitat connectivity? *Ecological Indicators* 91, 138–148.

O

Obladen, N., Dechering, P., Skiadarexis, G., Tegel, W., et al. (2021) Tree mortality of European beech and Norway spruce induced by 2018–2019 hot droughts in central Germany. *Agricultural and Forest Meteorology* 307, 108482.

Owen-Smith, N. (1987) Pleistocene extinctions: The pivotal role of megaherbivores. *Paleobiology* 13, 351–362.

Oxbrough, A., García-Tejero, S., Spence, J., O'Halloran, J. (2016) Can mixed stands of native and non-native tree species enhance diversity of epigeic arthropods in plantation forests? *Forest Ecology and Management* 367, 21–29.

P

Paillet, Y., Archaux, F., Du Puy, S., Bouget, C., et al. (2018) The indicator side of tree microhabitats: A multi-taxon approach based on bats, birds and saproxylic beetles. *Journal of Applied Ecology* 55, 2147–2159.

Parikh, G., Rawtani, D., Khatri, N. (2021) Insects as an Indicator for Environmental Pollution. *Environmental Claims Journal* 33, 161–181.

Parmasto, E. (2001) Fungi as indicators of primeval and old-growth forests deserving protection. *Fungal conservation: Issues and Solutions*, 81–88.

Pasanen, H., Junninen, K., Kouki, J. (2014) Restoring dead wood in forests diversifies wood-decaying fungal assemblages but does not quickly benefit red-listed species. *Forest Ecology and Management* 312, 92–100.

Pötzelberger, E., Spiecker, H., Neophytou, C., Mohren, F., et al. (2020) Growing Non-native Trees in European Forests Brings Benefits and Opportunities but Also Has Its Risks and Limits. *Current Forestry Reports* 6, 339–353.

Pouska, V., Macek, P., Zibarová, L. (2016) The relation of fungal communities to wood microclimate in a mountain spruce forest. *Fungal Ecology* 21, 1–9.

Proesmans, W., Bonte, D., Smagghe, G., Meeus, I., et al. (2019) Small forest patches as pollinator habitat: oases in an agricultural desert? *Landscape Ecology* 34, 487–501.

Przepióra, F., Loch, J., Ciach, M. (2020) Bark beetle infestation spots as biodiversity hotspots: Canopy gaps resulting from insect outbreaks enhance the species richness, diversity and abundance of birds breeding in coniferous forests. *Forest Ecology and Management* 473, 118280.

Purahong, W., Wubet, T., Krüger, D., Buscot, F. (2017) Molecular evidence strongly supports deadwood-inhabiting fungi exhibiting unexpected tree species preferences in temperate forests. *The ISME Journal* 12, 289–295.

Q

R

Rametsteiner, E., Mayer, P. (2004) Sustainable Forest Management and Pan: European Forest Policy. *Ecological Bulletins* 51, 51–57.

Renaud, V., Innes, J. L., Dobbertin, M., Rebetez, M. (2011) Comparison between open-site and below-canopy climatic conditions in Switzerland for different types of forests over 10 years (1998–2007). *Theoretical and Applied Climatology* 105, 119–127.

Rodríguez, A., Kouki, J. (2017) Disturbance-mediated heterogeneity drives pollinator diversity in boreal managed forest ecosystems. *Ecological Applications* 27, 589–602.

Rodríguez, A., Pohjoismäki, J.L.O., Kouki, J. (2019) Diversity of forest management promotes parasitoid functional diversity in boreal forests. *Biological Conservation* 238, 108205.

Rossetti, M.R., Tschantke, T., Aguilar, R., Batáry, P. (2017) Responses of insect herbivores and herbivory to habitat fragmentation: a hierarchical meta-analysis. *Ecology Letters* 20, 264–272.

Ruete, A., Snäll, T., Jonsson, B.G., Jönsson, M. (2017) Contrasting long-term effects of transient anthropogenic edges and forest fragment size on generalist and specialist deadwood-dwelling fungi. *Journal of Applied Ecology* 54, 1142–1151.

Ruiz-Labourdette, D., Nogués-Bravo, D., Ollero, H.S.; Schmitz, M.F., Pineda, F.D. (2012) Forest composition in Mediterranean mountains is projected to shift along the entire elevational gradient under climate change. *Journal of Biogeography* 39, 162–176.

Runnel, K., Löhmus, A. (2017) Deadwood-rich managed forests provide insights into the old-forest association of wood-inhabiting fungi. *Fungal Ecology* 27, 155–167.

S

- Sabatini, F.M., Burrascano, S., Keeton, W.S., Levers, C., et al. (2018) Where are Europe's last primary forests? *Diversity and Distributions* 24, 1426–1439.
- Schall, P., Gossner, M.M., Heinrichs, S., Fischer, M., et al. (2018) The impact of even-aged and uneven-aged forest management on regional biodiversity of multiple taxa in European beech forests. *Journal of Applied Ecology* 55, 267–278.
- Schall, P., Heinrichs, S., Ammer, C., Ayasse, M., et al. (2020) Can multi-taxa diversity in European beech forest landscapes be increased by combining different management systems? *Journal of Applied Ecology* 57, 1363–1375.
- Schlesinger, W.H., Jasechko, S. (2014) Transpiration in the global water cycle. *Agricultural and Forest Meteorology* 189–190, 115–117.
- Schmid, M., Pautasso, M., Holdenrieder, O. (2014) Ecological consequences of Douglas fir (*Pseudotsuga menziesii*) cultivation in Europe. *European Journal of Forest Research* 133, 13–29.
- Sebek, P., Bace, R., Bartos, M., Benes, J., et al. (2015) Does a minimal intervention approach threaten the biodiversity of protected areas? A multi-taxa short-term response to intervention in temperate oak-dominated forests. *Forest Ecology and Management* 358, 80–89.
- Sebek, P., Vodka, S., Bogusch, P., Pech, P., et al. (2016) Open-grown trees as key habitats for arthropods in temperate woodlands: The diversity, composition, and conservation value of associated communities. *Forest Ecology and Management* 380, 172–181.
- Šebesta, J., Maděra, P., Řepka, R., Matula, R. (2017) Comparison of vascular plant diversity and species composition of coppice and high beech forest in the Banat region, Romania. *Folia Geobotanica* 52, 33–43.
- Segelbacher, G., Höglund, J., Storch, I. (2003) From connectivity to isolation: genetic consequences of population fragmentation in capercaillie across Europe. *Molecular Ecology* 12, 1773–1780.
- Seibold, S., Bässler, C., Brandl, R., Gossner, M.M., et al. (2015a) Experimental studies of dead-wood biodiversity — A review identifying global gaps in knowledge. *Biological Conservation* 191, 139–149.
- Seibold, S., Brandl, R., Buse, J., Hothorn, T., et al. (2015b) Association of extinction risk of saproxylic beetles with ecological degradation of forests in Europe. *Conservation Biology* 29, 382–390.
- Šigut, M., Šigutová, H., Šipoš, J., Pyszko, P., et al. (2018) Vertical canopy gradient shaping the stratification of leaf-chewer-parasitoid interactions in a temperate forest. *Ecology and Evolution* 8, 7297–7311.
- Siitonen, P., Lehtinen, A., Siitonen, M. (2005) Effects of Forest Edges on the Distribution, Abundance, and Regional Persistence of Wood-Rotting Fungi. *Conservation Biology* 19, 250–260.
- Sing, L., Metzger, M.J., Paterson, J.S., Ray, D. (2018) A review of the effects of forest management intensity on ecosystem services for northern European temperate forests with a focus on the UK. *Forestry: An International Journal of Forest Research* 91, 151–164.
- Slade, E.M., Merckx, T., Riutta, T., Bebber, D.P., et al. (2013) Life-history traits and landscape characteristics predict macro-moth responses to forest fragmentation. *Ecology* 94, 1519–1530.
- Sommerfeld, A., Rammer, W., Heurich, M., Hilmers, T., et al. (2021) Do bark beetle outbreaks amplify or dampen future bark beetle disturbances in Central Europe? *Journal of Ecology* 109, 737–749.
- Song, M.Y., Stark, J.D., Brown, J.J. (1997) Comparative toxicity of four insecticides, including imidacloprid and tebufenozide, to four aquatic arthropods. *Environmental Toxicology and Chemistry: An international Journal* 16, 2494–2500.
- Statistická ročenka životního prostředí České republiky 2020 [Statistical environmental yearbook of the Czech Republic 2020]. Available online: <https://www.cenia.cz/publikace/statisticka-rocenka-zivotniho-prostredi-cr/>
- Statistisches Bundesamt (2020) Durch Schäden verursachter Holzeinschlag nach Einschlagursache und Waldeigentumsarten. Available online: <https://www.destatis.de/DE/Themen/Branchen-Unternehmen/Landwirtschaft-Forstwirtschaft-Fischerei/Wald-Holz/Tabellen/holzeinschlag-ursachen.html;jsessionid=D08B22D2F31BC441271F4A3EB33C044A.live721>
- Steinert, M., Moe, S.R., Sydenham, M.A.K., Eldegard, K. (2018) Different cutting regimes improve species and functional diversity of insect-pollinated plants in power-line clearings. *Ecosphere* 9, e02509.
- Stokland JN, Siitonen J, Jonsson BG. 2012. Biodiversity in dead wood. Cambridge University Press, New York
- Sunde, P., Collet, S., Nowak, C., Thomsen, P.F., et al. (2021) Where have all the young wolves gone? Traffic and cryptic mortality create a wolf population sink in Denmark and northernmost Germany. *Conservation Letters* 14, e12812.
- Sverdrup-Thygeson, A., Skarpaas, O., Blumentrath, S., Birkemoe, T., et al. (2017) Habitat connectivity affects specialist species richness more than generalists in veteran trees. *Forest Ecology and Management* 403, 96–102.

T

Taeroe, A., de Koning, J.H.C., Löf, M., Tolvanen, A., et al. (2019) Recovery of temperate and boreal forests after windthrow and the impacts of salvage logging. A quantitative review. *Forest Ecology and Management* 446, 304–316.

Tena, E., de Paz, Ó., de La Peña, R., Fandos, G., et al. (2020) Mind the gap: Effects of canopy clearings on temperate forest bat assemblages. *Forest Ecology and Management* 474, 118341.

Thorn, S., Bässler, C., Gottschalk, T., Hothorn, T., et al. (2014) New insights into the consequences of post-windthrow salvage logging revealed by functional structure of saproxylic beetles assemblages. *PLoS ONE* 9, e101757.

Thorn, S., Seibold, S., Leverkus, A.B., Michler, T., et al. (2020) The living dead: acknowledging life after tree death to stop forest degradation. *Frontiers in Ecology and the Environment* 18, 505–512.

Tóthmérész, B., Magura, T., Ködöböcz, V., Lövei, G. (2018) Species richness patterns of ground beetles (Coleoptera: Carabidae) in forest fragments. Proceedings of the 5th European Congress of Conservation Biology. Jyväskylä, Finland, 6/12/2018 - 6/15/2018.

U

Uhl, B., Wölfling, M., Fiedler, K. (2021a) From forest to fragment: compositional differences inside coastal forest moth assemblages and their environmental correlates. *Oecologia* 195, 453–467.

Uhl, B., Wölfling, M., Fiedler, K. (2021b) Local, forest stand and landscape-scale correlates of plant communities in isolated coastal forest reserves. *Plant Biosystems* 155, 457–469.

Ujházy, K., Hederová, L., Máliš, F., Ujházyová, M., et al. (2017) Overstorey dynamics controls plant diversity in age-class temperate forests. *Forest Ecology and Management* 391, 96–105.

Ulanova, N.G. (2000) The effects of windthrow on forests at different spatial scales: a review. *Forest Ecology and Management* 135, 155–167.

Unterseher, M., Tal, O. (2006) Influence of small scale conditions on the diversity of wood decay fungi in a temperate, mixed deciduous forest canopy. *Mycological Research* 110, 169–178.

V

van Dobben, H.F., de Vries, W. (2017) The contribution of nitrogen deposition to the eutrophication signal in understorey plant communities of European forests. *Ecology and Evolution* 7, 214–227.

Vellend, M. (2010) Conceptual synthesis in community ecology. *The Quarterly Review of Biology* 85, 183–206.

Vitasse, Y., Ursenbacher, S., Klein, G., Bohnenstengel, T., et al. (2021) Phenological and elevational shifts of plants, animals and fungi under climate change in the European Alps. *Biological Reviews* 96, 1816–1835.

Vogel, S., Gossner, M.M., Mergner, U., Müller, J., et al. (2020) Optimizing enrichment of deadwood for biodiversity by varying sun exposure and tree species: An experimental approach. *Journal of Applied Ecology* 57, 2075–2085.

Von Felten, S., Berney, C., Erb, B., Baumann, P., et al. (2020) Habitat enhancements for reptiles in a beech forest may increase fungal species richness. *Biodiversity and Conservation* 29, 1805–1819.

W

Wermelinger, B., Moretti, M., Duelli, P., Lachat, T., et al. (2017) Impact of windthrow and salvage-logging on taxonomic and functional diversity of forest arthropods. *Forest Ecology and Management* 391, 9–18.

Wetherbee, R., Birkemoe, T., Burner, R.C., Sverdrup-Thygeson, A. (2021) Veteran trees have divergent effects on beetle diversity and wood decomposition. *PLoS ONE* 16, e0248756.

Wetherbee, R., Birkemoe, T., Sverdrup-Thygeson, A. (2020) Veteran trees are a source of natural enemies. *Scientific Reports* 10, 18485.

Wulf, M., Kolk, J. (2014) Plant species richness of very small forests related to patch configuration, quality, heterogeneity and history. *Journal of Vegetation Science* 25, 1267–1277.

X

Y

Ylisirniö, A., Mönkkönen, M., Hallikainen, V., Ranta-Maunus, T., Kouki, J. (2016) Woodland key habitats in preserving polypore diversity in boreal forests: Effects of patch size, stand structure and microclimate. *Forest Ecology and Management* 373, 138–148.

Z

Zanon, M., Davis, B.A.S., Marquer, L., Brewer, S., et al. (2018) European Forest Cover During the Past 12,000 Years: A Palynological Reconstruction Based on Modern Analogs and Remote Sensing. *Frontiers in Plant Science* 9, 253.

Zasadil, P., Romportl, D., Horák, J. (2020) Disentangling the Roles of Topography, Patch, and Land Use on Conservation Trait Status of Specialist Birds in Marginal Forest Land Use Types. *Forests* 11, 103.

Zellweger, F., de Frenne, P., Lenoir, J., Vangansbeke, P., et al. (2020) Forest microclimate dynamics drive plant responses to warming. *Science* 368, 772–775.

Zpráva o stavu lesa a lesního hospodářství České republiky v roce 2020 [Report on the state of forest and forestry of the Czech Republic in 2020]. Available online: <https://eagri.cz/public/web/mze/lesy/lesnictvi/zprava-o-stavu-lesa-a-lesniho/>

Žmihorski, M., Berg, Å., Pärt, T. (2016) Forest clear-cuts as additional habitat for breeding farmland birds in crisis. In: *Agriculture, Ecosystems & Environment* 233, 291–297.